

CENTURY

2000 Series

Generations ahead of its time!!!

Available In
Many Sizes &
Configurations!



CECILWARE
Since 1911

*C*entury 2000 combines the low profile requirements needed by most coffee establishments with high performance output.

Automatic Coffee Brewer Series with Pour Over Back-up System

*E*ngineered to extract the finest quality and delicate flavor from all coffee, the Century 2000 Automatic Coffee Brewers add ambiance and convenience to any coffee bar or station. Its low profile and space saving qualities make this series an irresistible system to compliment any business or food establishment.

*H*ave interrupted brew cycles left you with coffee too strong for your customers to enjoy? With the Century Brewer's "built-in" Separate Hot Water System, your problem is now eliminated. This system, designed with a safety flow hot water faucet, allows you to offer your customers piping hot tea, cocoa or other soluble products without affecting the brew cycle.

Why Brew Coffee With A Gravity Feed System?

*B*rewing Coffee with a Gravity Feed System assures you potful after potful of accurately brewed coffee. Designed for brewing locations where low water pressure occurs, this unique brewing system gives you the constant water pressure needed to brew coffee while eliminating short potting. Gravity Feed System Coffee Brewers are available on all Automatic Models. Simply add "G" suffix to model # (e.g. C2001G)



C2003



C2003RG

Model #	Warmers	Dimensions (D x W x H)
C2001*	1 Bottom	18" x 8" x 17 1/4"
C2002*	1 Top; 1 Bottom	18" x 8" x 19"
C2003*	2 Top; 1 Bottom	18" x 8" x 19"
C2003R*	2 Bottom; 1 Right	18" x 16" x 17 1/4"
C2003L*	2 Bottom; 1 Left	18" x 16" x 17 1/4"

* Available with Gravity System. Add "G" Suffix to model # (e.g. C2001G)
Gravity Feed Brewers DO NOT Come with a Pour Over Back-Up System
Electrical: Equipped with a 120v (15 amp.) line cord.

For export voltage, 220/50/1, add suffix "X" to model # (e.g. C2002X)

Plumbing: 1/4" Male Flare

Model #	Warmers	Dimensions (D x W x H)
C2003R-35*	2 Bottom; 1 Right	18" x 16" x 17 1/4"
C2003L-35*	2 Bottom; 1 Left	18" x 16" x 17 1/4"
C2005-35*	3 Bottom; 1 Left; 1 Right	18" x 24" x 17 1/4"
C2005R-35*	3 Bottom; 2 Top	18" x 16" x 19"
C2005L-35*	3 Bottom; 2 Top	18" x 16" x 19"

* Available with Gravity System. Add "G" Suffix to model # (e.g. C2001G)
Gravity Feed Brewers DO NOT Come with a Pour Over Back-Up System

Electrical: 120/240/60/1 (20 amp.); 3.8KW

Plumbing: 1/4" Male Flare

◆ **Heat Exchange Water Coil System** – A separate internal hot water system has been incorporated into all Automatic Coffee Brewers. This heat exchange system gives the operator the ability to extract piping hot water for tea, soup or hot chocolate while brewing coffee. This technology doesn't create water shortages resulting in short potting.

◆ **Safety Flow Hot Water Faucet** – A standard safety feature available on all Automatic Century Brewers. This feature automatically shuts off the hot water faucet once an operator walks away from the brewer. It does not allow free flow which can accidentally deplete your water tank resulting in heater element burnout.

◆ **European Style Thermostat** – Keeps water at its appropriate temperature allowing you to serve coffee the way it was intended – hot and fresh.

◆ **Rapid Recovery Rate** – Continually brew decanter after decanter of coffee without depleting the hot water tank. Perfect brew temperature every time.

◆ **Extra Large Capacity Water Tank** – Time is essential in brewing coffee and your customers should never wait for a fresh pot. The extra large water tanks provide an operator with the ability to brew hot, fresh coffee without waiting for water to heat up.

Century 2000 will produce endless decanters of coffee keeping your customers happy and your profits high.

Pour Over Coffee Brewer Series

For those locations where water lines are not accessible, Cecilware's Pour-Over Century Brewers provide the perfect solution to your everyday brewing needs. Simply pour a decanter of cold water into the brewer's reservoir, and the pour-over brewer automatically brews a perfect fresh pot of coffee instantly. With Cecilware's extra large water tanks incorporated into all its brewers, you can continually brew decanter after decanter of coffee without a loss of water temperature.



C2002P



C2003PR

Model #	Warmers	Dimensions (D x W x H)
C2001P	1 Bottom	17 1/4" x 8" x 17 1/4"
C2002P	1 Top; 1 Bottom	17 1/4" x 8" x 19"
C2003P	2 Top; 1 Bottom	17 1/4" x 8" x 19"
C2003PR	2 Bottom; 1 Right	17 1/4" x 16" x 17 1/4"
C2003PL	2 Bottom; 1 Left	17 1/4" x 16" x 17 1/4"

Electrical: Equipped with a 120v (15 amp.) line cord.

**120/240/60/1 (20 amp.)

For export voltage, 220/50/1, add suffix "X" to model # (e.g. C2002PX)

- ◆ **Independent Heater Switch** – Never again will you wait for water to heat up. This feature keeps tank water at a perfect brew temperature even when the power switch is shut off.
- ◆ **Hi-Tech Brew Controls** – Regulate water intake to create perfectly consistent brewed coffee time after time.
- ◆ **Raised Warmer Plate** – Engineered to allow air to flow evenly around the wiring. (Prevents wiring from drying out.)
- ◆ **Automatic Recovery System** – If the heating elements become too hot, this system automatically shuts them down to eliminate burnout. This feature adds heater longevity.

- ◆ **Durable Illuminated Rocker Switches** – Simply flip a switch and you'll brew coffee in moments. Designed for longevity, these extra durable, illuminated rocker switches make brewing coffee easy.
- ◆ **Front Mounted Controls** – The easily accessible components decrease down time and keeps service cost to a minimum.
- ◆ **Top Mounted Heating Element** – Conveniently located on the top of the hot water tank, the heating element can be replaced quickly and efficiently.

Coffee Warmers & Decanters

To complement the Century 2000 series, a complete coffee warmer system is the perfect way to enhance your coffee sales. By placing multiple warmers in various locations, e.g. waitress stations, coffee will be readily accessible. Keep it fresh, hot and ready to serve.

Model #	Description	Width	Depth	Height	Ship Wt.
SW2CR (right)	2 Warmers	8"	17 $\frac{1}{4}$ "	8"	8 lbs.
SW2CL (left)					
SW3	3 Warmers	8"	21"	15"	15 lbs.

Electrical: 120V, 15A plug-in, line cord included



SW2CR

SW3

From Convenience Stores to Restaurants to Office Coffee Services, coffee decanters are a necessary part of the coffee brewing cycle. Although coffee decanters come in a variety of styles, shapes and sizes, it's important to choose one that conforms to the hand for proper comfort and balance.

Cecilware's new "NCD" coffee decanters set new standards for commercial decanters. Designed with Cecilware's exclusive ProSet comfort handle and Ratcheted Leak-Proof gasketed spout, pouring coffee was never this efficient.

For your convenience, handles are available in the following attractive colors:

NCD Decanters - Brown, Black, Orange, Red and Green

CBL Decanters - Brown, Black, Orange, Purple, Blue, Teal, Red, Green and Yellow



NCD Decanters



CBL Decanters

Customize Your Decanter

Add a little spice to your business by having your insignia, logo or company name printed on any Cecilware decanter. Just call our toll free number and speak to our Customer Service Department or contact your local Cecilware Sales Representative for more details.



Cecilware Corporation • 43-05 20th Avenue • LIC • NY • 11105

Tel: (800) 935-2211 • (718) 932-1414 • Fax: (718) 932-7860

Visit us on the web: www.cecilware.com